THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CX

January-December 2006

Subject Index

ACOUSTICS

EPISTLE: High lift system design for low-noise applied to a supersonic aircraft. U. Herrmann, pp 327-331.

Towards a silent aircraft. A.P. Dowling and T. Hynes, pp 487-494.

AERODYNAMICS

A comparative study of two UCAV type wing planforms — performance and stability considerations. R.K. Nangia and M.E. Palmer, pp 641-658.

A theoretical description of viscous flow along a flat plate — erratum. R.C Hasting, p 462.

Aerodynamic effectiveness of the flow of exhaust gases in a generic formula one car configuration. K. Kontis and F.L. Parra, pp 573-587.

Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP. C.B. Allen, A.L. Gaitonde, D.P. Jones, G.A. Vio, J.E. Cooper, A.M. Rampurawala, K.J. Badcock, M.A. Woodgate, M.J. de C. Henshaw and N.V. Taylor, pp 333-343.

Aerofoil profile and sweep optimisation for a blended wing-body aircraft using a discrete adjoint method. A. Le Moigne and N. Qin, pp 589-602.

BAE Systems/EPSRC integrated research programme in aeronautical engineering. N. McDougall, pp 121-124.

Boundary condition effects on the evolution of a train of vortex pairs in still air. A. Seifert and T. Yehoshua, pp 397-417.

Civil aviation and the environment — the next frontier for the aerodynamicist. J.E. Green, pp 469-486.

Comparison of experimental and numerical investigation on a jet in a supersonic cross-flow. E. Schülein and A. Kovar, pp 353-360.

EPISTLE: High lift system design for low-noise applied to a supersonic aircraft. U. Herrmann, pp 327-331.

Evaluation of a two-dimensional moving-mesh method for rigid body motions. S.M.H. Karimian and S.M. Mirsajedi, pp 429-428.

Experimental investigations on the application of lift enhancement devices to forward-swept aircraft model. J.J. Wang, Z. Wu and W. Zhang, pp 353-360.

Further analysis of self-induced roll oscillations of a non-slender delta wing. M.E. Beyers and L.E. Ericsson, pp 739-748.

Key aerodynamic technologies for aircraft engine nacelles. E. Benard, J.K. Watterson, R.K. Cooper, R. Curran, M. Price, H. Yao, R. Devine, B. Crawford, D. Riordan, A. Linton, J. Richardson, J. Tweedie and S. Raghunathan, pp 265-288.

Minimum forebody drag in hypersonic continuum and rarefied flows. J. Pike, pp 369-374.

Modern developments in hypersonic wind tunnels. R.J. Stalker, pp 21-39.

Numerical calculation of separated flow past square and rectangular cylinders using panel technique. G. Bandyopadhyay and A. Roy, pp 249-256.

On the vortex created by multiple blades joined at a hub. P.R. Spalart, pp 117-199.

Pressure sensitive paint measurements on a delta-wing in supersonic flow. L.C. Raju, L. Venkatakrishnan and P.R. Viswanath, pp 767-771.

Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm. L.F. Gonzalez, D.S. Lee, K. Srinivas and K.C. Wong, pp 659-672.

Some hypersonic intake studies. F. Lanson and J.L. Stollery, pp 145-156.

Sub boundary-layer vortex generators for the control of shock induced separation. G.S. Cohen and F. Motallebi, pp 215-238.

The performance of round synthetic jets in quiescent flow. M. Jabbal, J. Wu and S. Zhong, pp 385-393.

AEROELASTICITY

Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP. C.B. Allen, A.L. Gaitonde, D.P. Jones, G.A. Vio, J.E. Cooper, A.M. Rampurawala, K.J. Badcock, M.A. Woodgate, M.J. de C. Henshaw and N.V. Taylor, pp 333-343.

Aeroelastic response of helicopter rotors using a 3D unsteady aerodynamic solver. G. Bernardini and M. Gennaretti, pp 793-801.

AEROSPACE ENGINEERING

BAE Systems/EPSRC integrated research programme in aeronautical engineering. N. McDougall, pp 121-124.

Civil aircraft design priorities: air quality? climate change? noise?. P. Brooker, pp 517-532.

Greener manufacturing, maintenance and disposal — towards the ACARE targets. J.J. Lee, pp 567-571.

Rigid body separation dynamics for space launch vehicles. K.K. Biswas, S. Swaminathan, E. Janardhana, B.N. Rao and D. Jeyakumar, pp 289-302.

Towards a silent aircraft. A.P. Dowling and T. Hynes, pp 487-494.

AIR TRAFFIC MANAGEMENT

A dynamic sampling scheme for GPS integrity assessment. S. Feng, W. Ochieng, D. Walsh and D. Walsh, pp 129-143.

AIRPORTS

Impact of privatisation on the financial and economic performance of European airports. H.-A. Vogel, pp 197-213.

BODIES

Numerical calculation of separated flow past square and rectangular cylinders using panel technique. G. Bandyopadhyay and A. Roy, pp 249-256.

THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CX

January-December 2006

Subject Index

ACOUSTICS

EPISTLE: High lift system design for low-noise applied to a supersonic aircraft. U. Herrmann, pp 327-331.

Towards a silent aircraft. A.P. Dowling and T. Hynes, pp 487-494.

AERODYNAMICS

A comparative study of two UCAV type wing planforms — performance and stability considerations. R.K. Nangia and M.E. Palmer, pp 641-658.

A theoretical description of viscous flow along a flat plate — erratum. R.C Hasting, p 462.

Aerodynamic effectiveness of the flow of exhaust gases in a generic formula one car configuration. K. Kontis and F.L. Parra, pp 573-587.

Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP. C.B. Allen, A.L. Gaitonde, D.P. Jones, G.A. Vio, J.E. Cooper, A.M. Rampurawala, K.J. Badcock, M.A. Woodgate, M.J. de C. Henshaw and N.V. Taylor, pp 333-343.

Aerofoil profile and sweep optimisation for a blended wing-body aircraft using a discrete adjoint method. A. Le Moigne and N. Qin, pp 589-602.

BAE Systems/EPSRC integrated research programme in aeronautical engineering. N. McDougall, pp 121-124.

Boundary condition effects on the evolution of a train of vortex pairs in still air. A. Seifert and T. Yehoshua, pp 397-417.

Civil aviation and the environment — the next frontier for the aerodynamicist. J.E. Green, pp 469-486.

Comparison of experimental and numerical investigation on a jet in a supersonic cross-flow. E. Schülein and A. Kovar, pp 353-360.

EPISTLE: High lift system design for low-noise applied to a supersonic aircraft. U. Herrmann, pp 327-331.

Evaluation of a two-dimensional moving-mesh method for rigid body motions. S.M.H. Karimian and S.M. Mirsajedi, pp 429-428.

Experimental investigations on the application of lift enhancement devices to forward-swept aircraft model. J.J. Wang, Z. Wu and W. Zhang, pp 353-360.

Further analysis of self-induced roll oscillations of a non-slender delta wing. M.E. Beyers and L.E. Ericsson, pp 739-748.

Key aerodynamic technologies for aircraft engine nacelles. E. Benard, J.K. Watterson, R.K. Cooper, R. Curran, M. Price, H. Yao, R. Devine, B. Crawford, D. Riordan, A. Linton, J. Richardson, J. Tweedie and S. Raghunathan, pp 265-288.

Minimum forebody drag in hypersonic continuum and rarefied flows. J. Pike, pp 369-374.

Modern developments in hypersonic wind tunnels. R.J. Stalker, pp 21-39.

Numerical calculation of separated flow past square and rectangular cylinders using panel technique. G. Bandyopadhyay and A. Roy, pp 249-256.

On the vortex created by multiple blades joined at a hub. P.R. Spalart, pp 117-199.

Pressure sensitive paint measurements on a delta-wing in supersonic flow. L.C. Raju, L. Venkatakrishnan and P.R. Viswanath, pp 767-771.

Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm. L.F. Gonzalez, D.S. Lee, K. Srinivas and K.C. Wong, pp 659-672.

Some hypersonic intake studies. F. Lanson and J.L. Stollery, pp 145-156.

Sub boundary-layer vortex generators for the control of shock induced separation. G.S. Cohen and F. Motallebi, pp 215-238.

The performance of round synthetic jets in quiescent flow. M. Jabbal, J. Wu and S. Zhong, pp 385-393.

AEROELASTICITY

Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP. C.B. Allen, A.L. Gaitonde, D.P. Jones, G.A. Vio, J.E. Cooper, A.M. Rampurawala, K.J. Badcock, M.A. Woodgate, M.J. de C. Henshaw and N.V. Taylor, pp 333-343.

Aeroelastic response of helicopter rotors using a 3D unsteady aerodynamic solver. G. Bernardini and M. Gennaretti, pp 793-801.

AEROSPACE ENGINEERING

BAE Systems/EPSRC integrated research programme in aeronautical engineering. N. McDougall, pp 121-124.

Civil aircraft design priorities: air quality? climate change? noise?. P. Brooker, pp 517-532.

Greener manufacturing, maintenance and disposal — towards the ACARE targets. J.J. Lee, pp 567-571.

Rigid body separation dynamics for space launch vehicles. K.K. Biswas, S. Swaminathan, E. Janardhana, B.N. Rao and D. Jeyakumar, pp 289-302.

Towards a silent aircraft. A.P. Dowling and T. Hynes, pp 487-494.

AIR TRAFFIC MANAGEMENT

A dynamic sampling scheme for GPS integrity assessment. S. Feng, W. Ochieng, D. Walsh and D. Walsh, pp 129-143.

AIRPORTS

Impact of privatisation on the financial and economic performance of European airports. H.-A. Vogel, pp 197-213.

BODIES

Numerical calculation of separated flow past square and rectangular cylinders using panel technique. G. Bandyopadhyay and A. Roy, pp 249-256.

BOOK REVIEWS — BY AUTHOR

Amirouche, F. Fundamentals of Multibody Dynamics: Theory and Applications, p 214.
Asaro, R. and Lubarda, V.A. Mechanics of Solids and Materials, p 638.
Azuma, A. The Biokinetics of Flying and Swimming, Second edition, p 840.
Chao, C.-C. Applied Orbit Perturbation and Maintenance, p 214.
Cutler, J. and Liber, J. Understanding Aircraft Structures, Fourth edition, p 702.
Da Silva, V.D. Mechanics and Stength of Materials, p 638.
Hodges, D.H. Nonlinear Composite Beam Theory, Progress in Aeronautics and Astronautics, Vol 213, p 639.
Jenkins, C.H.M. (Ed) Recent Advances in Gossamer Spacecraft, Progress in Astronautics and Aeronautics series, Vol 212, p 702.
Jenn, D.C. Radar and Lasar Cross Section Engineering, Second Edition, p 214.
Kainer, K.U. (Ed). Metal Matrix Composites: Custom-made for Automotive and Aerospace Engineering, p 463.
Keane, A.J. and Nair, P.B. Computational Approaches for Aerospace Design: the Pursuit of Excellence, p 465.
Lesieur, M. *et al* Large-Eddy Simulations of Turbulence, p 464.
Liber, J. and Cutler, J. Understanding Aircraft Structures, Fourth edition, p 702.
Lieuwen, T.C. and Yang, V. Combustion Instablilities in Gas Turbine Engines: Operational Experience, Fundamental Mechanisms, and Modelling. Progress in Aeronautics and Astronautics series, Vol 210, p 394.
Lubarda, V.A. and Asaro, R. Mechanics of Solids and Materials, p 638.
Mailloux, R.J. Phased Array Antenna Handbook, Second edition, p 394.
Musoff, H. and Zarchan, P. Fundamentals of Kalman Filtering: a Practical Approach, Second edition, Progess in Astronautics and Aeronautics series, Vol 208, p 463.
Nair, P.B. and Keane, A.J. Computational Approaches for Aerospace Design: the Pursuit of Excellence, p 465.
Poisel, R.A. Electronic Warfare Target Location Methods, p 465.
Polmear, I. Light Alloys: From Traditional Alloys to Nanocrystals, Fourth edition, p 394.
Riley, W.F. *et al* Mechanics of Materials, Sixth edition, p 638.
Schetzen, M. Airborne Doppler Radar: Applications, Theory and Philosophy, Progress in Aeronautics and Astronautics series, Vol 215, p 842.
Shabana, A.A. Dynamics of Multibody Systems, Third edition, p 395.
Sun, C.T. Mechanics of Aircraft Structures, Second edition, p 702.
Tait, P. Introduction to Radar Target Recognition, p 464.
Tavoularis, S. Measurements in Fluid Mechanics, p 463.
Xie, W-C. Dynamic Stability of Structures, p 840.
Yang, V. and Lieuwen, T.C. Combustion Instablilities in Gas Turbine Engines: Operational Experience, Fundamental Mechanisms, and Modelling, Progress in Aeronautics and Astronautics series, Vol 210, p 394.
Yang, V. *et al* Liquid Rocket Thrust Chambers: Aspects of Modeling, Analysis and Design, Progress in Aeronautics and Astronautics series, Vol 200, p 841.
Zarchan, P. and Musoff, H. Fundamentals of Kalman Filtering: a Practical Approach, Second edition. Progress in Astronautics and Aeronautics series, Vol 208, p 463.

BOOK REVIEWS — BY TITLE

Airborne Doppler Radar: Applications, Theory and Philosophy, Progress in Aeronautics and Astronautics series, Vol 215, M. Schetzen, p 842.
Applied Orbit Perturbation and Maintenance, C.-C. Chao, p 214.
Combustion Instablilities in Gas Turbine Engines: Operational Experience, Fundamental Mechanisms, and Modelling, Progress in Aeronautics and Astronautics series, Vol 210, Yang and T.C. Lieuwen, p 394.
Computational Approaches for Aerospace Design: the Pursuit of Excellence, V. Nair, P.B. and A.J. Keane, p 465.
Dynamic Stability of Structures, W-C. Xie, p 840.
Dynamics of Multibody Systems, Third edition, A.A. Shabana, p 395.
Electronic Warfare Target Location Methods, R.A. Poisel, p 465.
Fundamentals of Kalman Filtering: a Practical Approach, Second edition. Progress in Astronautics and Aeronautics series, Vol 208, P. Zarchan and H. Musoff, p 463.
Fundamentals of Multibody Dynamics: Theory and Applications, F. Amirouche, p 214.
Introduction to Radar Target Recognition, P. Tait, p 464.
Large-Eddy Simulations of Turbulence, M. Lesieur *et al*, p 464.
Light Alloys: From Traditional Alloys to Nanocrystals, Fourth edition, I. Polmear, p 394.
Liquid Rocket Thrust Chambers: Aspects of Modeling, Analysis and Design. Progress in Aeronautics and Astronautics series, Vol 200, V. Yang *et al*, p 841.
Measurements in Fluid Mechanics, S. Tavoularis, p 463.
Mechanics and Stength of Materials, V.D. da Silva, p 638.
Mechanics of Aircraft Structures, Second edition, C.T. Sun, p 702.
Mechanics of Materials, Sixth edition, W.F. Riley *et al*, p 638.
Mechanics of Solids and Materials, V.A. Lubarda and R. Asaro, p 638.
Metal Matrix Composites: Custom-made for Automotive and Aerospace Engineering, K.U. Kainer (Ed), p 463.
Nonlinear Composite Beam Theory, Progress in Aeronautics and Astronautics Vol 213, D.H. Hodges, p 639.
Phased Array Antenna Handbook, Second edition, R.J. Mailloux, p 394.
Radar and Lasar Cross Section Engineering, Second Edition, D.C. Jenn, p 214.
Recent Advances in Gossamer Spacecraft, Progress in Astronautics and Aeronautics series, Vol 212, C.H.M. Jenkins (Ed), p 702.
The Biokinetics of Flying and Swimming, Second edition, A. Azuma, p 840.
Understanding Aircraft Structures, Fourth edition, J. Liber and J. Cutler, p 702.

COMPOSITES

Fracture of layered composites by internal fibre instability: effect of interfacial adhesion. I.A. Guz and C. Soutis, pp 185-195.

COMPUTATIONAL FLUID DYNAMICS

A feasiblity study on designing model support systems for a blended wing body configuration in a transonic wind tunnel. N. Corby, E.L. Crocker, P.J. Hammond, P.W.C. Wong and M. Maina, pp 53-62.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part 1: Prediction of the pre-fire air flow within the cockpit and surrounding areas. J. Ewer, F. Jia, M.K. Patel, E.R. Galea and A. Grandison, pp 41-52.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part II: Fire spread analysis. J. Ewer, F. Jia, M.K. Patel, E.R. Galea and A. Grandison, pp 303-314.
Comparison of a grid-based CFD method and vortex dynamics predictions of low Reynolds number cylinder flows. R.I. Lewis and L. Baranyi, pp 63-71.
Comparison of experimental and numerical investigation on a jet in a supersonic cross-flow. E. Schülein and A. Kovar, pp 353-360.
Integrating CFD and piloted simulation to quantify ship-helicopter operating limits. S.J. Hodge, D.M. Roper, I. Owen and G.D. Padfield, pp 419-428.
One CFD calculation to end point flight testing. A. Cenko, pp 439-446.

COMPUTATIONAL TECHNIQUES (GENERAL)

3D numerical simulation of the supersonic combustion of H_2. V. Babu, P. Dinde and A. Rajasekaran, pp 773-782.
Aerofoil profile and sweep optimisation for a blended wing-body aircraft using a discrete adjoint method. A. Le Moigne and N. Qin, pp 589-602.
Cumulative global metamodels with uncertainty — a tool for aerospace integration. R.E. Childs, P.H. Reisenthel, J.F. Love and D.J. Lesieutre, pp 375-384.
Evaluation of a two-dimensional moving-mesh method for rigid body motions. S.M.H. Karimian and S.M. Mirsajedi, pp 429-428.

DEFENCE

System of systems force structure optimisation. M.S. McCoy, pp 457-462.

DESIGN

A methodology for the assessment of unit cost drivers for commercial aircraft. V.C. Serghides and N.L. Tirovolis, pp 173-184.

Benefits and design challenges of adaptive structures for morphing aircraft. J. Butt, D. Moorhouse, B. Sanders and M. von Spakovsky, pp 157-162.

Corporate memory contribution to integrated design and analysis systems. M.R. Mendenhall, pp 257-263.

Efficiency parameters for modern commercial aircraft. R.K. Nangia, pp 495-510.

Integration of friction stir welding into a multidisciplinary aerospace design framework. R. Curran, M.J.L. van Tooren, C. Ritchie and A.H. van der Laan, pp 759-766.

Küchemann's weight model as applied in the first Greener by Design Technology Sub Group Report: a correction, adaptation and commentary. J.E. Green, pp 511-516.

Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm. L.F. Gonzalez, D.S. Lee, K. Srinivas and K.C. Wong, pp 659-672.

Using system engineering on an aircraft improvement project. J.C. Hsu, pp 813-820.

DYNAMICS

Dynamics and control of single-line kites. G. Sánchez, pp 615-621.

Modelling the flight dynamics of the hang glider. M.V. Cook and M. Spottiswoode, pp 1 to 20.

Rigid body separation dynamics for space launch vehicles. K.K. Biswas, S. Swaminathan, E. Janardhana, B.N. Rao and D. Jeyakumar, pp 289-302.

ECONOMICS

A methodology for the assessment of unit cost drivers for commercial aircraft. V.C. Serghides and N.L. Tirovolis, pp 173-184.

Impact of privatisation on the financial and economic performance of European airports. H.-A. Vogel, pp 197-213.

ENVIRONMENTAL ENGINEERING

Civil aircraft design priorities: air quality? climate change? noise?. P. Brooker, pp 517-532.

Civil aviation and the environment — the next frontier for the aerodynamicist. J.E. Green, pp 469-486.

Efficiency parameters for modern commercial aircraft. R.K. Nangia, pp 495-510.

Greener manufacturing, maintenance and disposal — towards the ACARE targets. J.J. Lee, pp 567-571.

Küchemann's weight model as applied in the first Greener by Design Technology Sub Group Report: a correction, adaptation and commentary. J.E. Green, pp 511-516.

Operations and aircraft design towards greener civil aviation using air-to-air refuelling. R.K. Nangia, pp 705-721.

Potential of reducing the environmental impact of aviation by using hydrogen. Part I: Background, prospects and challenges. F. Haglind, and R. Singh, pp 533-540.

Potential of reducing the environmental impact of aviation by using hydrogen. Part II: Aero gas turbine design. F. Haglind, and R. Singh, pp 541-552.

Potential of reducing the environmental impact of aviation by using hydrogen. Part III: Optimum cruising altitude and airport implications. F. Haglind, and R. Singh, pp 553-565.

Towards a silent aircraft. A.P. Dowling and T. Hynes, pp 487-494.

FATIGUE

Impacts of low-pressure (LP) compressor's deterioration upon an aero-engine's high-pressure (HP) turbine blade's life consumption. M. Naeem, pp 215-240.

FLIGHT CONTROL DYNAMICS

A comparative study of two UCAV type wing planforms — performance and stability considerations. R.K. Nangia and M.E. Palmer, pp 641-658.

A continuation design framework for nonlinear flight control problems. M.H. Lowenberg and T.S. Richardson, pp 85-96.

A method for predicting the rate and effect of approach to the stall of a microlight aeroplane. G.B. Gratton, pp 683-690.

Flight handling qualities — A problem-based-learning module for final year aerospace engineering students. G.D. Padfield, pp 73-84.

Longitudinal flight control design with handling quality requirements. O. Akhrif, D. Saussié and L. Saydy, pp 627-637.

Modelling the flight dynamics of the hang glider. M.V. Cook and M. Spottiswoode, pp 01 to 20.

HUMAN FACTORS

An analysis of exit availability, exit usage and passenger exit selection behaviour exhibited during actual aviation accidents. D.P. Cooney, E.R. Galea, K.M. Finney, A.J.P. Dixon and A. Siddiqui, pp 239-248.

Ordinal logistic regression analysis of flight task ratings. R. Bradley and W.M. Maclaren, pp 447-456.

Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks. S.W.A. Dekker, T. Waldmann, N.A. Stanton, N.A. Harris, P.M. Salmon, J.M. Demagalski, A. Marshall and P.M. Salmon, pp 107-115.

JETS

Comparison of experimental and numerical investigation on a jet in a supersonic cross-flow. E. Schülein and A. Kovar, pp 353-360.

The performance of round synthetic jets in quiescent flow. M. Jabbal, J. Wu and S. Zhong, pp 385-393.

Wing tip vortex control using synthetic jets. I. Gursul and P. Margaris, pp 673-681.

KITES

Circular flight kite tests: converting to standard results. K.V. Alexander and J.C. Stevenson, pp 605-614.

Dynamics and control of single-line kites. G. Sánchez, pp 615-621.

LIGHTER THAN AIR

Impact of solar storms on high altitude long endurance unmanned aircraft and airship design and operations. L.R. Newcom, pp 623-626.

PROPULSION

3D numerical simulation of the supersonic combustion of H_2. V. Babu, P. Dinde and A. Rajasekaran, pp 773-782.

Decoupled controller for mixed exhausts turbofan engine. T.R. Nada, pp 783-792.

Impacts of low-pressure (LP) compressor's deterioration upon an aero-engine's high-pressure (HP) turbine blade's life consumption. M. Naeem, pp 215-240.

Key aerodynamic technologies for aircraft engine nacelles. E. Benard, J.K. Watterson, R.K. Cooper, R. Curran, M. Price, H. Yao, R. Devine, B. Crawford, D. Riordan, A. Linton, J. Richardson, J. Tweedie and S. Raghunathan, pp 265-288.

Potential of reducing the environmental impact of aviation by using hydrogen. Part I: Background, prospects and challenges. F. Haglind, and R. Singh, pp 533-540.

Potential of reducing the environmental impact of aviation by using hydrogen. Part II: Aero gas turbine design. F. Haglind, and R. Singh, pp 541-552.

Potential of reducing the environmental impact of aviation by using hydrogen. Part III: Optimum cruising altitude and airport implications. F. Haglind, and R. Singh, pp 553-565.

ROTORCRAFT

BAE Systems/EPSRC integrated research programme in aeronautical engineering. N. McDougall, pp 121-124.

A turbulence criterion for safe helicopter operations to offshore installations. D. Howson, G. Turner and S.J. Rowe, pp 749-758.

Aeroelastic response of helicopter rotors using a 3D unsteady aerodynamic solver. G. Bernardini and M. Gennaretti, pp 793-801.
Integrating CFD and piloted simulation to quantify ship-helicopter operating limits. S.J. Hodge, D.M. Roper, I. Owen and G.D. Padfield, pp 419-428.
Research initiatives for improving the safety of offshore helicopter operations. D.A. Howson, pp 723-737.

SAFETY

A dynamic sampling scheme for GPS integrity assessment. S. Feng, W. Ochieng, D. Walsh and S. Feng, pp 129-143.
An analysis of exit availability, exit usage and passenger exit selection behaviour exhibited during actual aviation accidents. D.P. Cooney, E.R. Galea, K.M. Finney, A.J.P. Dixon and A. Siddiqui, pp 239-248.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part 1: Prediction of the pre-fire air flow within the cockpit and surrounding areas. J. Ewer, F. Jia, M.K. Patel, E.R. Galea and A. Grandison, pp 41-52.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part II: Fire spread analysis. J. Ewer, F. Jia, M.K. Patel, E.R. Galea and A. Grandison, pp 303-314.
Considerations for flight testing of UAVs in South African airspace. L.A. Ingham,T. Jones and A. Maneschijn, pp 803-811.
Considerations for UAV design and operation in South African airspace. L.A. Ingham, T. Jones and A. Maneschijn, pp 695-701.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks. S.W.A. Dekker, T. Waldmann, N.A. Stanton, N.A. Harris, P.M. Salmon, J.M. Demagalski, A. Marshall and M.S. Young, pp 107-115.
Research initiatives for improving the safety of offshore helicopter operations. D.A. Howson, pp 723-737.

SHOCK WAVES

Sub boundary-layer vortex generators for the control of shock induced separation. G.S. Cohen and F. Motallebi, pp 215-238.
Active control of a hybrid actuation system for aircraft vertical fin buffet load alleviation. Y. Chen, V. Wickramasinghe and D. Zimcik, pp 315-326.

STRUCTURES

Benefits and design challenges of adaptive structures for morphing aircraft. J. Butt, D. Moorhouse, B. Sanders and M. von Spakovsky, pp 157-162.
Fracture of layered composites by internal fibre instability: effect of interfacial adhesion. I.A. Guz and C. Soutis, pp 185-195.
Integration of friction stir welding into a multidisciplinary aerospace design framework. R. Curran, M.J.L. van Tooren, C. Ritchie and A.H. van der Laan, pp 759-766.

SYSTEMS

Technical Note: Thermal buckling of a thin uniform circular disk: a comparison of predictions. K.A. Seffen, pp 691-693.
A dynamic sampling scheme for GPS integrity assessment. S. Feng, W. Ochieng, D. Walsh and R. Ioannides, pp 129-143.
Active control of a hybrid actuation system for aircraft vertical fin buffet load alleviation. Y. Chen, V. Wickramasinghe and D. Zimcik, pp 315-326.
Autonomy in unmanned air vehicles. J.T. Platts, pp 97-105.
Development of an aircraft systems dispatch reliability design methodology. M. Binei and J.P. Fielding, pp 345-352.
Impact of solar storms on high altitude long endurance unmanned aircraft and airship design and operations. L.R. Newcom, pp 623-626.
System of systems force structure optimisation. M.S. McCoy, pp 457-462.
The development of a target-lock-on optical remote sensing system for unmanned aerial vehicles. Y.-H. Chien, M.-T. Lee, F.-B. Hsiao and T.-L. Liu, pp 163-172.
Waypoint navigation for a micro air vehicle using vision-based attitude estimation. M. Abdulrahim, R. Lind, J.J. Kehoe and R.S. Causey, pp 821-829.

TESTING FACILITIES AND TECHNIQUES

A feasiblity study on designing model support systems for a blended wing body configuration in a transonic wind tunnel. N. Corby, E.L. Crocker, P.J. Hammond, P.W.C. Wong and M. Maina, pp 53-62.
Circular flight kite tests: converting to standard results. K.V. Alexander and J.C. Stevenson, pp 605-614.
Considerations for flight testing of UAVs in South African airspace. L.A. Ingham,T. Jones and A. Maneschijn, pp 803-811.
Cumulative global metamodels with uncertainty — a tool for aerospace integration. R.E. Childs, P.H. Reisenthel, J.F. Love and D.J. Lesieutre, pp 375-384.
Development of an aircraft systems dispatch reliability design methodology. M. Binei and J.P. Fielding, pp 345-352.
Flight handling qualities — A problem-based-learning module for final year aerospace engineering students. G.D. Padfield, pp 73-84.
Modern developments in hypersonic wind tunnels. R.J. Stalker, pp 21-39.
One CFD calculation to end point flight testing. A. Cenko, pp 439-446.
Pressure sensitive paint measurements on a delta-wing in supersonic flow. L.C. Raju, L. Venkatakrishnan and P.R. Viswanath, pp 767-771.

UNMANNED AIR VEHICLES

A comparative study of two UCAV type wing planforms — performance and stability considerations. R.K. Nangia and M.E. Palmer, pp 641-658.
Autonomy in unmanned air vehicles. J.T. Platts, pp 97-105.
BAE Systems/EPSRC integrated research programme in aeronautical engineering. N. McDougall, pp 121-124.
Considerations for flight testing of UAVs in South African airspace. L.A. Ingham,T. Jones and A. Maneschijn, pp 803-811.
Considerations for UAV design and operation in South African airspace. L.A. Ingham, T. Jones and A. Maneschijn, pp 695-701.
Impact of solar storms on high altitude long endurance unmanned aircraft and airship design and operations. L.R. Newcom, pp 623-626.
Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm. L.F. Gonzalez, D.S. Lee, K. Srinivas and K.C. Wong, pp 659-672.
The development of a target-lock-on optical remote sensing system for unmanned aerial vehicles. Y.-H. Chien, M.-T. Lee, F.-B. Hsiao and T.-L. Liu, pp 163-172.
Waypoint navigation for a micro air vehicle using vision-based attitude estimation. M. Abdulrahim, R. Lind, J.J. Kehoe and R.S. Causey, pp 821-829.

WAKES

A turbulence criterion for safe helicopter operations to offshore installations. D. Howson, G. Turner and S.J. Rowe, pp 749-758.
Boundary condition effects on the evolution of a train of vortex pairs in still air. A. Seifert and T. Yehoshua, pp 397-417.
Integrating CFD and piloted simulation to quantify ship-helicopter operating limits. S.J. Hodge, D.M. Roper, I. Owen and G.D. Padfield, pp 419-428.
Numerical calculation of separated flow past square and rectangular cylinders using panel technique. G. Bandyopadhyay and A. Roy, pp 249-256.
On the vortex created by multiple blades joined at a hub. P.R. Spalart, pp 117-199.
Sub boundary-layer vortex generators for the control of shock induced separation. G.S. Cohen and F. Motallebi, pp 215-238.
Wing tip vortex control using synthetic jets. I. Gursul and P. Margaris, pp 673-681.

Author Index

ABDULRAHIM, M., LIND, R., KEHOE, J.J. and CAUSEY, R.S.
Waypoint navigation for a micro air vehicle using vision-based attitude estimation, pp 821-829.

AKHRIF, O., SAUSSIÉ, D. and SAYDY, L.
Longitudinal flight control design with handling quality requirements, pp 627-637.

ALEXANDER, K.V. and STEVENSON, J.C.
Circular flight kite tests: converting to standard results, pp 605-614.

ALLEN, C.B., GAITONDE, A.L., JONES, D.P., VIO, G.A., COOPER, J.E., RAMPURAWALA, A.M., BADCOCK, K.J., WOODGATE, M.A., HENSHAW, M.J. DE C. and TAYLOR, N.V.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

BABU, V., DINDE, P. and RAJASEKARAN, A.
3D numerical simulation of the supersonic combustion of H_2, pp 773-782.

BADCOCK, K.J., WOODGATE, M.A., HENSHAW, M.J. DE C., TAYLOR, N.V., ALLEN, C.B., GAITONDE, A.L., JONES, D.P., VIO, G.A., COOPER, J.E. and RAMPURAWALA, A.M.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

BANDYOPADHYAY, G. and ROY, A.
Numerical calculation of separated flow past square and rectangular cylinders using panel technique, pp 249-256.

BARANYI, L. and LEWIS, R.I.
Comparison of a grid-based CFD method and vortex dynamics predictions of low Reynolds number cylinder flows, pp 63-71.

BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J. and RAGHUNATHAN, S.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

BERNARDINI, G. and GENNARETTI, M.
Aeroelastic of response helicopter rotors using a 3D unsteady aerodynamic solver, pp 793-801.

BEYERS, M.E. and ERICSSON, L.E.
Further analysis of self-induced roll oscillations of a non-slender delta wing, pp 739-748.

BINEID, M. and FIELDING, J.P.
Development of an aircraft systems dispatch reliability design methodology, pp 345-352.

BISWAS, K.K., SWAMINATHAN, S., JANARDHANA, E., RAO, B.N. and JEYAKUMAR, D
Rigid body separation dynamics for space launch vehicles, pp 289-302.

BRADLEY, R. and MACLAREN, W.M.
Ordinal logistic regression analysis of flight task ratings, pp 447-456.

BROOKER, P.
Civil aircraft design priorities: air quality? climate change? noise?, pp 517-532.

BUTT, J., MOORHOUSE, D., SANDERS, B. and VON SPAKOVSKY, M.
Benefits and design challenges of adaptive structures for morphing aircraft, pp 157-162.

CAUSEY, R.S., ABDULRAHIM, M., LIND, R. and KEHOE, J.J.
Waypoint navigation for a micro air vehicle using vision-based attitude estimation, pp 821-829.

CENKO, A.
One CFD calculation to end point flight testing, pp 439-446.

CHEN, Y., WICKRAMASINGHE, V. and ZIMCIK, D.
Active control of a hybrid actuation system for aircraft vertical fin buffet load alleviation, pp 315-326.

CHIEN, Y.-H., LEE, M.-T., HSIAO, F.-B. and LIU, T.-L.
The development of a target-lock-on optical remote sensing system for unmanned aerial vehicles, pp 163-172.

CHILDS, R.E., REISENTHEL, P.H., LOVE, J.F. and LESIEUTRE, D.J.
Cumulative global metamodels with uncertainty — a tool for aerospace integration, pp 375-384.

COHEN, G.S. and MOTALLEBI, F.
Sub boundary-layer vortex generators for the control of shock induced separation, pp 215-238.

COOK, M.V. and SPOTTISWOODE, M.
Modelling the flight dynamics of the hang glider, pp 01 to 20.

COONEY, D.P., GALEA, E.R., FINNEY, K.M., DIXON, A.J.P. and SIDDIQUI, A.
An analysis of exit availability, exit usage and passenger exit selection behaviour exhibited during actual aviation accidents, pp 239-248.

COOPER, J.E., RAMPURAWALA, A.M., BADCOCK, K.J., WOODGATE, M.A., HENSHAW, M.J. DE C., TAYLOR, N.V., ALLEN, C.B., GAITONDE, A.L., JONES, D.P. and VIO, G.A.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E. and WATTERSON, J.K.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

CORBY, N., CROCKER, E.L., HAMMOND, P.J., WONG, P.W.C. and MAINA, M.
A feasiblity study on designing model support systems for a blended wing body configuration in a transonic wind tunnel, pp 53-62.

CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H. and DEVINE, R.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

CROCKER, E.L., HAMMOND, P.J., WONG, P.W.C., MAINA, M. and CORBY, N.
A feasiblity study on designing model support systems for a blended wing body configuration in a transonic wind tunnel, pp 53-62.

CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K. and COOPER, R.K.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

CURRAN, R., VAN TOOREN, M.J.L., RITCHIE, C. and VAN DER LAAN, A.H.
Integration of friction stir welding into a multidisciplinary aerospace design framework, pp 759-766.

DEKKER, S.W.A., WALDMANN, T., STANTON, N.A., HARRIS, D., SALMON, P.M., DEMAGALSKI, J.M., MARSHALL, A. and YOUNG, M.S.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

DEMAGALSKI, J.M., MARSHALL, A., YOUNG, M.S., DEKKER, S.W.A., WALDMANN, T., STANTON, N.A., HARRIS, D. and SALMON, P.M.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M. and YAO, H.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

DINDE, P., RAJASEKARAN, A. and BABU, V.
3D numerical simulation of the supersonic combustion of H_2, pp 773-782.

DIXON, A.J.P., SIDDIQUI, A., COONEY, D.P., GALEA, E.R. and FINNEY, K.M.
An analysis of exit availability, exit usage and passenger exit selection behaviour exhibited during actual aviation accidents, pp 239-248.

DOWLING, A.P. and HYNES, T.
Towards a silent aircraft, pp 487-494.

ERICSSON, L.E. and BEYERS, M.E.
Further analysis of self-induced roll oscillations of a non-slender delta wing, pp 739-748.

EWER, J., JIA, F., PATEL, M.K., GALEA, E.R. and GRANDISON, A.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part 1: Prediction of the pre-fire air flow within the cockpit and surrounding areas, pp 41-52.

EWER, J., JIA, F., PATEL, M.K., GALEA, E.R. and GRANDISON, A.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part II: Fire spread analysis, pp 303-314.

FENG, S., OCHIENG, W., WALSH, D. and IOANNIDES, R.
A dynamic sampling scheme for GPS integrity assessment, pp 129-143.

FIELDING, J.P. and BINEID, M.
Development of an aircraft systems dispatch reliability design methodology, pp 345-352.

FINNEY, K.M., DIXON, A.J.P., SIDDIQUI, A., COONEY, D.P. and GALEA, E.R.
An analysis of exit availability, exit usage and passenger exit selection behaviour exhibited during actual aviation accidents, pp 239-248.

GAITONDE, A.L., JONES, D.P., VIO, G.A., COOPER, J.E., RAMPURAWALA, A.M., BADCOCK, K.J., WOODGATE, M.A., HENSHAW, M.J. DE C., TAYLOR, N.V. and ALLEN, C.B.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

GALEA, E.R., FINNEY, K.M., DIXON, A.J.P., SIDDIQUI, A. and COONEY, D.P.
An analysis of exit availability, exit usage and passenger exit selection behaviour exhibited during actual aviation accidents, pp 239-248.

GALEA, E.R., GRANDISON, A., EWER, J., JIA, F. and PATEL, M.K.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part 1: Prediction of the pre-fire air flow within the cockpit and surrounding areas, pp 41-52.

GALEA, E.R., GRANDISON, A., EWER, J., JIA, F. and PATEL, M.K.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part II: Fire spread analysis, pp 303-314.

GENNARETTI, M. and BERNARDINI, G.
Aeroelastic of response helicopter rotors using a 3D unsteady aerodynamic solver, pp 793-801.

GONZALEZ, L.F., LEE, D.S., SRINIVAS, K. and WONG, K.C.
Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm, pp 659-672.

GRANDISON, A., EWER, J., JIA, F., PATEL, M.K. and GALEA, E.R.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part 1: Prediction of the pre-fire air flow within the cockpit and surrounding areas, pp 41-52.

GRANDISON, A., EWER, J., JIA, F., PATEL, M.K. and GALEA, E.R.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part II: Fire spread analysis, pp 303-314.

GRATTON, G.B.
A method for predicting the rate and effect of approach to the stall of a microlight aeroplane, pp 683-690.

GREEN, J.E.
Civil aviation and the environment — the next frontier for the aerodynamicist, pp 469-486.

GREEN, J.E.
Küchemann's weight model as applied in the first Greener by Design Technology Sub Group Report: a correction, adaptation and commentary, pp 511-516.

GURSUL, I. and MARGARIS, P.
Wing tip vortex control using synthetic jets, pp 673-681.

GUZ, I.A. and SOUTIS, C.
Fracture of layered composites by internal fibre instability: effect of interfacial adhesion, pp 185-195.

HAGLIND, F. and SINGH, R.
Potential of reducing the environmental impact of aviation by using hydrogen. Part I: Background, prospects and challenges, pp 533-540.

HAGLIND, F. and SINGH, R.
Potential of reducing the environmental impact of aviation by using hydrogen. Part II: Aero gas turbine design, pp 541-552.

HAGLIND, F. and SINGH, R.
Potential of reducing the environmental impact of aviation by using hydrogen. Part III: Optimum cruising altitude and airport implications, pp 553-565.

HAMMOND, P.J., WONG, P.W.C., MAINA, M., CORBY, N. and CROCKER, E.L.
A feasiblity study on designing model support systems for a blended wing body configura.ion in a transonic wind tunnel, pp 53-62.

HARRIS, D., SALMON, P.M., DEMAGALSKI, J.M., MARSHALL, A., YOUNG, M.S., DEKKER, S.W.A., WALDMANN, T. and STANTON, N.A.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

HASTINGS, R.C.
A theoretical description of viscous flow along a flat plate — erratum, p 462.

HENSHAW, M.J. DE C., TAYLOR, N.V., ALLEN, C.B., GAITONDE, A.L., JONES, D.P., VIO, G.A., COOPER, J.E., RAMPURAWALA, A.M., BADCOCK, K.J and WOODGATE, M.A.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-344.

HERRMANN, U.
EPISTLE: High lift system design for low-noise applied to a supersonic aircraft, pp 327-331.

HODGE, S.J., ROPER, D.M., OWEN, I. and PADFIELD, G.D.
Integrating CFD and piloted simulation to quantify ship-helicopter operating limits, pp 419-428.

HOWSON, D., TURNER, G. and ROWE, S.J.
A turbulence criterion for safe helicopter operations to offshore installations, pp 749-758.

HOWSON, D.A.
Research initiatives for improving the safety of offshore helicopter operations, pp 723-737.

HSIAO, F.-B., LIU, T.-L., CHIEN, Y.-H. and LEE, M.-T.
The development of a target-lock-on optical remote sensing system for unmanned aerial vehicles, pp 163-172.

HSU, J.C.
Using system engineering on an aircraft improvement project, pp 813-820.

HYNES, T. and DOWLING, A.P.
Towards a silent aircraft, pp 487-494.

INGHAM, L.A., JONES, T. and MANESCHIJN, A.
Considerations for UAV design and operation in South African airspace, pp 695-701.

INGHAM, L.A., JONES, T. and MANESCHIJN, A.
Considerations for flight testing of UAVs in South African airspace, pp 803-811.

IOANNIDES, R., FENG, S., OCHIENG, W. and WALSH, D.
A dynamic sampling scheme for GPS integrity assessment, pp 129-143.

JABBAL, M., WU, J. and ZHONG, S.
The performance of round synthetic jets in quiescent flow, pp 385-393.

JANARDHANA, E., RAO, B.N., JEYAKUMAR, D., BISWAS, K.K. and SWAMINATHAN, S.
Rigid body separation dynamics for space launch vehicles, pp 289-302.

JEYAKUMAR, D., BISWAS, K.K., SWAMINATHAN, S., JANARDHANA, E. and RAO, B.N.
Rigid body separation dynamics for space launch vehicles, pp 289-302.

JIA, F., PATEL, M.K., GALEA, E.R., GRANDISON, A. and EWER, J.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part 1: Prediction of the pre-fire air flow within the cockpit and surrounding areas, pp 41-52.

JIA, F., PATEL, M.K., GALEA, E.R., GRANDISON, A. and EWER, J.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part II: Fire spread analysis, pp 303-314.

JONES, D.P., VIO, G.A., COOPER, J.E., RAMPURAWALA, A.M., BADCOCK, K.J., WOODGATE, M.A., HENSHAW, M.J. DE C., TAYLOR, N.V., ALLEN, C.B. and GAITONDE, A.L.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

JONES, T., MANESCHIJN, A. and INGHAM, L.A.
Considerations for flight testing of UAVs in South African airspace, pp 803-811.

JONES, T., MANESCHIJN, A. and INGHAM, L.A.
Considerations for UAV design and operation in South African airspace, pp 695-701.

KARIMIAN, S.M.H. and MIRSAJEDI, S.M.
Evaluation of a two-dimensional moving-mesh method for rigid body motions, pp 429-428.

KEHOE, J.J., CAUSEY, R.S., ABDULRAHIM, M. and LIND, R.
Waypoint navigation for a micro air vehicle using vision-based attitude estimation, pp 821-829.

KONTIS, K. and PARRA, F.L.
Aerodynamic effectiveness of the flow of exhaust gases in a generic formula one car configuration, pp 573-587.

KOVAR, A. and SCHÜLEIN, E.
Comparison of experimental and numerical investigation on a jet in a supersonic cross-flow, pp 353-361.

LANSON, F. and STOLLERY, J.L.
Some hypersonic intake studies, pp 145-156.

LE MOIGNE, A. and QIN, N.
Aerofoil profile and sweep optimisation for a blended wing-body aircraft using a discrete adjoint method, pp 589-602.

LEE, D.S., SRINIVAS, K., WONG, K.C. and GONZALEZ, L.F.
Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm, pp 659-672.

LEE, J.J.
Greener manufacturing, maintenance and disposal — towards the ACARE targets, pp 567-571.

LEE, M.-T., HSIAO, F.-B., LIU, T.-L. and CHIEN, Y.-H.
The development of a target-lock-on optical remote sensing system for unmanned aerial vehicles, pp 163-172.

LESIEUTRE, D.J., CHILDS, R.E., REISENTHEL, P.H. and LOVE, J.F.
Cumulative global metamodels with uncertainty — a tool for aerospace integration, pp 375-384.

LEWIS, R.I. and BARANYI, L.
Comparison of a grid-based CFD method and vortex dynamics predictions of low Reynolds number cylinder flows, pp 63-71.

LIND, R., KEHOE, J.J., CAUSEY, R.S. and ABDULRAHIM, M.
Waypoint navigation for a micro air vehicle using vision-based attitude estimation, pp 821-829.

LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B. and RIORDAN, D.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

LIU, T.-L., CHIEN, Y.-H., LEE, M.-T. and HSIAO, F.-B.
The development of a target-lock-on optical remote sensing system for unmanned aerial vehicles, pp 163-172.

LOVE, J.F., LESIEUTRE, D.J., CHILDS, R.E. and REISENTHEL, P.H.
Cumulative global metamodels with uncertainty — a tool for aerospace integration, pp 375-384.

LOWENBERG, M.H. and RICHARDSON, T.S.
A continuation design framework for nonlinear flight control problems, pp 85-96.

MACLAREN, W.M. and BRADLEY, R.
Ordinal logistic regression analysis of flight task ratings, pp 447-456.

MAINA, M., CORBY, N., CROCKER, E.L., HAMMOND, P.J. and WONG, P.W.C.
A feasiblity study on designing model support systems for a blended wing body configuration in a transonic wind tunnel, pp 53-62.

MANESCHIJN, A., INGHAM, L.A. and JONES, T.
Considerations for flight testing of UAVs in South African airspace, pp 803-811.

MANESCHIJN, A., INGHAM, L.A. and JONES, T.
Considerations for UAV design and operation in South African airspace, pp 695-701.

MARGARIS, P. and GURSUL, I.
Wing tip vortex control using synthetic jets, pp 673-681.

MARSHALL, A., YOUNG, M.S., DEKKER, S.W.A., WALDMANN, T., STANTON, N.A., HARRIS, D., SALMON, P.M. and DEMAGALSKI, J.M.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

MCCOY, M.S.
System of systems force structure optimisation, pp 457-462.

MCDOUGALL, N.
BAE Systems/EPSRC integrated research programme in aeronautical engineering, pp 121-124.

MENDENHALL, M.R.
Corporate memory contribution to integrated design and analysis systems, pp 257-263.

MIRSAJEDI, S.M. and KARIMIAN, S.M.H.
Evaluation of a two-dimensional moving-mesh method for rigid body motions, pp 429-428.

MOORHOUSE, D., SANDERS, B., VON SPAKOVSKY, M. and BUTT, J.
Benefits and design challenges of adaptive structures for morphing aircraft, pp 157-162.

MOTALLEBI, F. and COHEN, G.S.
Sub boundary-layer vortex generators for the control of shock induced separation, pp 215-238.

NADA, T.R.
Decoupled controller for mixed exhausts turbofan engine, pp 783-792.

NAEEM, M.
Impacts of low-pressure (LP) compressor's deterioration upon an aero-engine's high-pressure (HP) turbine blade's life consumption, pp 215-240.

NANGIA, R.K. and PALMER, M.E.
A comparative study of two UCAV type wing planforms - performance and stability considerations, pp 641-658.

NANGIA, R.K.
Efficiency parameters for modern commercial aircraft, pp 495-510.

NANGIA, R.K.
Operations and aircraft design towards greener civil aviation using air-to-air refuelling, pp 705-721.

NEWCOME, L.R.
Impact of solar storms on high altitude long endurance unmanned aircraft and airship design and operations, pp 623-626.

OCHIENG, W., WALSH, D., IOANNIDES, R. and FENG, S.
A dynamic sampling scheme for GPS integrity assessment, pp 129-143.

OWEN, I., PADFIELD, G.D., HODGE, S.J. and ROPER, D.M.
Integrating CFD and piloted simulation to quantify ship-helicopter operating limits, pp 419-428.

PADFIELD, G.D.
Flight handling qualities — A problem-based-learning module for final year aerospace engineering students, pp 73-84.

PADFIELD, G.D., HODGE, S.J., ROPER, D.M. and OWEN, I.
Integrating CFD and piloted simulation to quantify ship-helicopter operating limits, pp 419-428.

PALMER, M.E. and NANGIA, R.K.
A comparative study of two UCAV type wing planforms — performance and stability considerations, pp 641-658.

PARRA, F.L. and KONTIS, K.
Aerodynamic effectiveness of the flow of exhaust gases in a generic formula one car configuration, pp 573-587.

PATEL, M.K., GALEA, E.R., GRANDISON, A., EWER, J. and JIA, F.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part I: Prediction of the pre-fire air flow within the cockpit and surrounding areas, pp 41-52.

PATEL, M.K., GALEA, E.R., GRANDISON, A., EWER, J. and JIA, F.
CFD fire simulation of the Swissair flight 111 in-flight fire — Part II: Fire spread analysis, pp 303-314.

PIKE, J.
Minimum forebody drag in hypersonic continuum and rarefied flows, pp 369-374.

PLATTS, J.T.
Autonomy in unmanned air vehicles, pp 97-105.

PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K. and CURRAN, R.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

QIN, N. and LE MOIGNE, A.
Aerofoil profile and sweep optimisation for a blended wing-body aircraft using a discrete adjoint method, pp 589-602.

RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J. and TWEEDIE, J.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

RAJASEKARAN, A., BABU, V. and DINDE, P.
3D numerical simulation of the supersonic combustion of H_2, pp 773-782.

RAJU, L.C., VENKATAKRISHNAN, L. and VISWANATH, P.R.
Pressure sensitive paint measurements on a delta-wing in supersonic flow, pp 767-771.

RAMPURAWALA, A.M., BADCOCK, K.J., WOODGATE, M.A., HENSHAW, M.J. DE C., TAYLOR, N.V., ALLEN, C.B., GAITONDE, A.L., JONES, D.P., VIO, G.A. and COOPER, J.E.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

RAO, B.N., JEYAKUMAR, D., BISWAS, K.K., SWAMINATHAN, S. and JANARDHANA, E.
Rigid body separation dynamics for space launch vehicles, pp 289-302.

REISENTHEL, P.H., LOVE, J.F., LESIEUTRE, D.J. and CHILDS, R.E.
Cumulative global metamodels with uncertainty — a tool for aerospace integration, pp 375-384.

RICHARDSON, and T.S. LOWENBERG, M.H.
A continuation design framework for nonlinear flight control problems, pp 85-96.

RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D. and LINTON, A.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R. and CRAWFORD, B.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

RITCHIE, C., VAN DER LAAN, A.H., CURRAN, R. and VAN TOOREN, M.J.L.
Integration of friction stir welding into a multidisciplinary aerospace design framework, pp 759-766.

ROPER, D.M., OWEN, I., PADFIELD, G.D. and HODGE, S.J.
Integrating CFD and piloted simulation to quantify ship-helicopter operating limits, pp 419-428.

ROWE, S.J., HOWSON, D. and TURNER, G.
A turbulence criterion for safe helicopter operations to offshore installations, pp 749-758.

ROY, A. and BANDYOPADHYAY, G.
Numerical calculation of separated flow past square and rectangular cylinders using panel technique, pp 249-256.

SALMON, P.M., DEMAGALSKI, J.M., MARSHALL, A., YOUNG, M.S., DEKKER, S.W.A., WALDMANN, T., STANTON, N.A. and HARRIS, D
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

SANCHEZ, G.
Dynamics and control of single-line kites, pp 615-621.

SANDERS, B., VON SPAKOVSKY, M., BUTT, J. and MOORHOUSE, D.
Benefits and design challenges of adaptive structures for morphing aircraft, pp 157-162.

SAUSSIÉ, D., SAYDY, L. and AKHRIF, O.
Longitudinal flight control design with handling quality requirements, pp 627-637.

SAYDY, L., AKHRIF, O. and SAUSSIÉ, D.
Longitudinal flight control design with handling quality requirements, pp 627-637.

SCHÜLEIN, E. and KOVAR, A.
Comparison of experimental and numerical investigation on a jet in a supersonic cross-flow, pp 353-360.

SEFFEN, K.A.
Technical Note: Thermal buckling of a thin uniform circular disk: a comparison of predictions, pp 691-693.

SEIFERT, A. and YEHOSHUA, T.
Boundary condition effects on the evolution of a train of vortex pairs in still air, pp 397-417.

SERGHIDES, V.C. and TIROVOLIS, N.L.
A methodology for the assessment of unit cost drivers for commercial aircraft, pp 173-184.

SIDDIQUI, A., COONEY, D.P., GALEA, E.R., FINNEY, K.M. and DIXON, A.J.P.
An analysis of exit availability, exit usage and passenger exit selection behaviour exhibited during actual aviation accidents, pp 239-248.

SINGH, R. and HAGLIND, F.
Potential of reducing the environmental impact of aviation by using hydrogen. Part I: Background, prospects and challenges, pp 533-540.

SINGH, R. and HAGLIND, F.
Potential of reducing the environmental impact of aviation by using hydrogen. Part II: Aero gas turbine design, pp 541-552.

SINGH, R. and HAGLIND, F.
Potential of reducing the environmental impact of aviation by using hydrogen. Part III: Optimum cruising altitude and airport implications, pp 553-565.

SOUTIS, C. and GUZ, I.A.
Fracture of layered composites by internal fibre instability: effect of interfacial adhesion, pp 185-195.

SPALART, P.R.
On the vortex created by multiple blades joined at a hub, pp 117-199.

SPOTTISWOODE, M. and COOK, M.V.
Modelling the flight dynamics of the hang glider, pp 1 to 20.

SRINIVAS, K., WONG, K.C., GONZALEZ, L.F. and LEE, D.S.
Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm, pp 659-672.

STALKER, R.J.
Modern developments in hypersonic wind tunnels, pp 21-39.

STANTON, N.A., HARRIS, D., SALMON, P.M., DEMAGALSKI, J.M., MARSHALL, A., YOUNG, M.S., DEKKER, S.W.A. and WALDMANN, T.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

STEVENSON, J.C. and ALEXANDER, K.V.
Circular flight kite tests: converting to standard results, pp 605-614.

STOLLERY, J.L. and LANSON, F.
Some hypersonic intake studies, pp 145-156.

SWAMINATHAN, S., JANARDHANA, E., RAO, B.N., JEYAKUMAR, D and BISWAS, K.K.
Rigid body separation dynamics for space launch vehicles, pp 289-302.

TAYLOR, N.V., ALLEN, C.B., GAITONDE, A.L., JONES, D.P., VIO, G.A., COOPER, J.E., RAMPURAWALA, A.M., BADCOCK, K.J., WOODGATE, M.A. and HENSHAW, M.J. DE C.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

TIROVOLIS, N.L. and SERGHIDES, V.C.
A methodology for the assessment of unit cost drivers for commercial aircraft, pp 173-184.

TURNER, G., ROWE, S.J. and HOWSON, D.
A turbulence criterion for safe helicopter operations to offshore installations, pp 749-758.

TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A. and RICHARDSON, J.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

VAN DER LAAN, A.H., CURRAN, R., VAN TOOREN, M.J.L. and RITCHIE, C.
Integration of friction stir welding into a multidisciplinary aerospace design framework, pp 759-766.

VAN TOOREN, M.J.L., RITCHIE, C., VAN DER LAAN, A.H. and CURRAN, R.
Integration of friction stir welding into a multidisciplinary aerospace design framework, pp 759-766.

VENKATAKRISHNAN, L., VISWANATH, P.R. and RAJU, L.C.
Pressure sensitive paint measurements on a delta-wing in supersonic flow, pp 767-771.

VIO, G.A., COOPER, J.E., RAMPURAWALA, A.M., BADCOCK, K.J., WOODGATE, M.A., HENSHAW, M.J. DE C., TAYLOR, N.V., ALLEN, C.B., GAITONDE, A.L. and JONES, D.P.
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

VISWANATH, P.R., RAJU, L.C. and VENKATAKRISHNAN, L.
Pressure sensitive paint measurements on a delta-wing in supersonic flow, pp 767-771.

VOGEL, H.-A.
Impact of privatisation on the financial and economic performance of European airports, pp 197-213.

VON SPAKOVSKY, M., BUTT, J., MOORHOUSE, D. and SANDERS, B.
Benefits and design challenges of adaptive structures for morphing aircraft, pp 157-162.

WALDMANN, T., STANTON, N.A., HARRIS, D., SALMON, P.M., DEMAGALSKI, J.M., MARSHALL, A., YOUNG, M.S. and DEKKER, S.W.A.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

WALSH, D., IOANNIDES, R. and OCHIENG, W.
A dynamic sampling scheme for GPS integrity assessment, pp 129-143.

WANG, J.J., WU, Z. and ZHANG, W.
Experimental investigations on the application of lift enhancement devices to forward-swept aircraft model, pp 353-360.

WATTERSON, J.K., COOPER, R.K., CURRAN, R., PRICE, M., YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S. and BENARD, E.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

WICKRAMASINGHE, V., ZIMCIK, D. and CHEN, Y.
Active control of a hybrid actuation system for aircraft vertical fin buffet load alleviation, pp 315-326.

WONG, K.C., GONZALEZ, L.F., LEE, D.S. and SRINIVAS, K.
Single and multi-objective UAV aerofoil optimisation via hierarchical asynchronous parallel evolutionary algorithm, pp 659-672.

WONG, P.W.C., MAINA, M., CORBY, N., CROCKER, E.L. and HAMMOND, P.J.
A feasiblity study on designing model support systems for a blended wing body configuration in a transonic wind tunnel, pp 53-62.

WOODGATE, M.A., HENSHAW, M.J. DE C., TAYLOR, N.V., ALLEN, C.B., GAITONDE, A.L., JONES, D.P., VIO, G.A., COOPER, J.E., RAMPURAWALA, A.M. and BADCOCK, K.J
Aeroelastic analysis through linear and non-linear methods: a summary of flutter prediction in the PUMA DARP, pp 333-343.

WU, J., ZHONG, S. and JABBAL, M.
The performance of round synthetic jets in quiescent flow, pp 385-393.

WU, Z., ZHANG, W. and WANG, J.J.
Experimental investigations on the application of lift enhancement devices to forward-swept aircraft model, pp 353-360.

YAO, H., DEVINE, R., CRAWFORD, B., RIORDAN, D., LINTON, A., RICHARDSON, J., TWEEDIE, J., RAGHUNATHAN, S., BENARD, E., WATTERSON, J.K., COOPER, R.K., CURRAN, R. and PRICE, M.
Key aerodynamic technologies for aircraft engine nacelles, pp 265-288.

YEHOSHUA, T. and SEIFERT, A.
Boundary condition effects on the evolution of a train of vortex pairs in still air, pp 397-417.

YOUNG, M.S., DEKKER, S.W.A., WALDMANN, T., STANTON, N.A., HARRIS, D., SALMON, P.M., DEMAGALSKI, J.M. and MARSHALL, A.
Predicting design induced pilot error using HET (human error template) — A new formal human error identification method for flight decks, pp 107-115.

ZHANG, W., WANG, J.J. and WU, Z.
Experimental investigations on the application of lift enhancement devices to forward-swept aircraft model, pp 353-360.

ZHONG, S., JABBAL, M. and WU, J.
The performance of round synthetic jets in quiescent flow, pp 385-393.

ZIMCIK, D., CHEN, Y. and WICKRAMASINGHE, V.
Active control of a hybrid actuation system for aircraft vertical fin buffet load alleviation, pp 315-326.

Volume CX

Number 1103	January	pp 1-71
Number 1104	February	pp 73-126
Number 1105	March	pp 129-195
Number 1106	April	pp 197-263
Number 1107	May	pp 265-343
Number 1108	June	pp 345-395
Number 1109	July	pp 397-465
Number 1110	August	pp 469-571
Number 1111	September	pp 573-639
Number 1112	October	pp 641-701
Number 1113	November	pp 705-771
Number 1114	December	pp 773-842